Rolling CounterDoor Systems





SERIES 665

Standard Features At a Glance

Max. standard width 15' 9" (4801 mm) Max. standard height 8' 4" (2539 mm)

Curtain

Standard Red oak

Available Douglas fir, white oak, birch

and exotic wood species

Slats Wood slats, 1 5/8" (41.27 mm)

high by 1/2" (13 mm) thick

Finish Unfinished

Guides Wood to match slats
Bottom bar Wood to match slats

Operation Push-up

Mounting Face of wall, between jambs

Lock Thumbturns
Warranty 15-month limited

Options

- · Crank operation
- Electric operation
- Additional wood species: white oak, birch, or exotic
- Hood to match slats in wood, aluminum, or stainless steel
- Aluminum guides
- Cylinder lock

Slat Data

Wood Slat



Dimension A	
Opening Height	
Thru 4' 6" (1370 mm)	10" (254 mm)
Thru 6' 4" (1930 mm)	11" (279 mm)
Thru 8' 4" (2540 mm)	13" (330 mm)

The 665 Series. Functionality w

The richness and warmth of natural wood make the 665 Series a natural choice for applications where a wood counter door is desired to complement interior design elements. These handsome, handcrafted, rolling counter doors are offered in a variety of wood species to permit nearly unlimited design flexibility — as well as unequalled beauty. Available to fit openings up to 12' wide by 8' high (2743 mm by 1219 mm), the 665 Series lends unsurpassed elegance for applications in hotels, banks, churches, libraries and offices.

Handcrafted from Fine Woods

The 665 Series doors are handcrafted of fine woods from around the world. Slats — as well as the guides and optional hood— are fabricated of hand-selected wood. Red oak is standard, but you can select from Douglas fir, white oak, birch, and exotic wood species, or a material that you specify. Doors are provided unfinished, allowing you to match the door to established design elements. The result is a counter door that both complements and enhances the interior aesthetics in a variety of applications.

Options Enhance Versatility.

Several options allows the 665 Series to be further customized to specific aesthetic and functional requirements. In addition to the choice of wood species, you can specify an optional hood. Crank operation or electric motor operation are also available as options, and the optional cylinder locks enhance security.

Built Better, Backed Better.

The 665 Series doors are constructed of high-quality flat slats for a good tight fit and streamlined good looks. The counterbalance assembly features adjustable helical torsion springs for longer life. Our branded line of electric operators further simplifies operation and ensures smooth, trouble-free performance for years to come.





SERIES 665

th the Style and Warmth of Wood.



A 15-month limited warranty — as well as our network of Ribbon $^{\odot}$ distributors — ensures expert installation and dependable service over the life of the door.

The Original, Innovative Choice for Unequalled Quality and Service

Overhead Door Corporation pioneered the upward-acting door industry, inventing the first upwardacting door in 1921 and the first electric door operator in 1926. Today, we continue to be the industry leader through the strength of our product innovation, superior craftsmanship and outstanding customer support, underscoring a legacy of quality, expertise and integrity. That's why design and construction professionals specify Overhead Door Corporation products more often than any other brand.

The red Overhead Door Ribbon is a mark of quality that also reflects the pride we take in the people who support our products. Our family of 400 Ribbon distributors across the country not only share our name and logo, but also our commitment to excellence. Your Ribbon distributor will work with you in a consultative role to ensure that product selections achieve your design and application requirements — in addition to providing expert installation, professional field service and ongoing maintenance. From project design and manufacturing to installation and service, the Overhead Door Ribbon is your guarantee of genuine quality and turnkey service excellence.

Together with our Ribbon distributors, we offer comprehensive technical information and resource materials to support your project, including:

- Architectural Design Manual a comprehensive guide to selecting, specifying and detailing all commercial and industrial Overhead Door products
- Sweet's Catalog for selection information about our products, and Sweet's CD and CD-CAD for convenient electronic product information, technical specifications, and details with CAD "cut-and-paste" capability
- Operation & Maintenance Manual detailed product information, customized for your project, to ensure reliable, long-life door system operation
- Custom design and technical assistance through our Corporate Application Engineering Teams



JetRoll® High Speed Doors



Thermacore® Sectional Doors



Rolling & Side Folding Security Grilles & Closure



Rolling Service Doors

Today, Overhead Door Corporation—along with our associate company, Horton Automatics, for automated pedestrian entrances—is recognized as the leading, single-source manufacturer of integrated door and operator systems for commercial, industrial and residential applications. With multiple manufacturing locations throughout the United States, a state-of-the-art International Technical Center for design and engineering, and a national network of authorized Ribbon distributors, our capabilities are leading-edge and our field service and technical support second to none. Built best and backed best, Overhead Door is the industry's leading choice for quality that shows and lasts.

To talk with the Overhead Door Distributor nearest you, call 1-800-929-DOOR.

Overhead Door Corporation

2501 S. State Hwy. 121 Bus., Suite 200 Lewisville, Texas 75067 1-800-929-DOOR

www.OverheadDoor.com



COMMERCIAL & INDUSTRIAL SOLUTIONS The Overhead Door Corporation family of quality commercial and industrial products includes:

©2010 Overhead Door Corporation Form #: C900-196 1M 2/10 JAR





